

4500

Name, Address City, County, ZIP: American Energy Corporation 43521 Mayhugh Hill Road TWP Hwy 88 Beallsville OH 43716 Station Code :

Reported Date (Month Year):

Application: 01L00091*GD

6/18/2007

Sampling Station Description:

Final

n(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample n(2) - Enter frequency of sampling				Reporting Lab: Tra-Det		Analyst :	Analyst :	
(1)	3							
(2)	1							
	(00094)							
	Conductivity Umho/Cm							
Day	-							
01	AL				: :			
02								
03								
04								
05					;			
06					1			
07					1			
08								
09								
10								
11								
12								
13								
14					:			
15								
16								
17								
18								
19					1			
20	•				1			
21					1			
22					1			
23								
24	HWW		MINIAU BAHUMUMUMUWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW		**************************************			
25	·····							
26					,			
27					1			
28			,					
29								
30								
31								
TOTAL	0	0	0	0	0	0	0	
AVG								
MAX	0							
MIN	0	0	0	0	0	0	0	

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 2 of 2